


Stacking

- Stacked 281mA in 12.96 hours of stacking
 - <stacking rate> = 26mA/hr
 - <production> = 22.1e-6/proton
 - <beam on target> = 8.18e12
- Accumulator core systems
 - Found vertical pickup stand has a tunnel problem.
 - One motor drives both sides of the tank.
 - It appears only one side is moving.
- D:ISEPV ground fault trips
 - Had some trips on Sunday.
 - Could be a bad magnet.



Transfers

- Unstacked 310e10 in 30 transfers over 14 sets
 - Acc to RR efficiency was 96%
 - For two transfer sets 96.3%

B	C	D	E	F	G	H	I	J	K	N	O	P	Q	R	S	T
Column 1 Number _0_Pbar Transfer Shot #	Column 4 Number_3_Transfer Time		Column 21 Number _20_A-I BEAMB sampled on \$91 (A:BEA M7), E10	Column 22 Number _21_A-I BEAMB sampled on \$94 (A:BEA M9), E10	Unstacked (mA)	Column 23 Number _22_R: BEAMS (R:BEA ME0(0)) pre zfer E10	Column 24 Number _23_R: BEAM (R:BEA ME0(1)) post zfer, E10	Stashed	Acc to RR Eff	Acc to MI Eff	Acc to M12 Eff	Transfers	Set s	Column 5 Number _4_Acc Horizontal Emittance	Column 6 Number _5_Acc Vertical Emittance	Column 8 Number _7_Acc Longitudinal Emittance
	Totals =>				310.24			297.62	95.93%	97.70%	97.65%	30	14	5.1624	4.9381	1.8713
13133	Tuesday, May 12, 2009	3:30	44.67	1.13	43.56	0.21	40.72	40.91	93.91%	98.83%	98.34%	4	1	1.986	3.363	1.83
13132	Monday, May 11, 2009	20:36	26.44	9.42	18.30	339.01	356.55	17.65	96.44%	98.91%	99.52%	2	1	5.35	5.012	1.876
13131	Monday, May 11, 2009	19:56	25.61	8.85	18.05	322.73	339.95	17.34	96.07%	98.31%	98.47%	2	1	4.856	5.015	1.882
13130	Monday, May 11, 2009	19:14	26.59	9.66	18.21	305.98	323.50	17.59	96.59%	97.69%	98.48%	2	1	5.332	4.907	1.916
13129	Monday, May 11, 2009	18:31	26.49	9.27	18.44	288.85	306.60	17.77	96.33%	98.07%	98.08%	2	1	5.151	4.646	1.859
13128	Monday, May 11, 2009	17:41	26.98	9.48	18.83	271.32	289.43	18.23	96.79%	97.06%	96.85%	2	1	5.174	4.72	1.892
13127	Monday, May 11, 2009	16:48	28.31	7.90	21.21	251.14	271.77	20.72	97.70%	97.44%	97.82%	2	1	3.71	3.836	1.797
13126	Monday, May 11, 2009	11:54	26.85	9.13	19.01	233.05	251.51	18.50	97.29%	98.10%	98.19%	2	1	4.422	4.572	1.872
13125	Monday, May 11, 2009	10:26	44.49	15.87	29.87	206.63	234.94	28.38	95.03%	96.62%	97.13%	2	1	6.616	5.816	1.872
13124	Monday, May 11, 2009	9:41	29.47	9.85	20.90	187.35	207.27	19.96	95.50%	96.96%	97.45%	2	1	5.669	5.336	1.882
13123	Monday, May 11, 2009	8:31	34.20	11.64	23.86	164.79	187.62	22.84	95.73%	97.50%	97.40%	2	1	6.2	5.753	1.872
13122	Monday, May 11, 2009	7:34	31.80	10.35	22.46	143.61	165.20	21.62	96.27%	97.88%	96.24%	2	1	5.722	5.356	1.843
13121	Monday, May 11, 2009	6:45	27.67	9.86	19.12	125.50	143.87	18.38	96.09%	97.44%	97.77%	2	1	6.318	5.359	1.898
13120	Monday, May 11, 2009	5:59	26.92	9.84	18.42	108.10	125.80	17.74	96.32%	96.32%	95.11%	2	1	5.767	5.443	1.907

B	C	D	E	F	G	H	I	J	K	N	O	P	Q	R	S	T
Column 1 Number _0_Pbar Transfer Shot #	Column 4 Number_3_Transfer Time		Column 21 Number _20_A-I BEAMB sampled on \$91 (A:BEA M7), E10	Column 22 Number _21_A-I BEAMB sampled on \$94 (A:BEA M9), E10	Unstacked (mA)	Column 23 Number _22_R: BEAMS (R:BEA ME0(0)) pre zfer E10	Column 24 Number _23_R: BEAM (R:BEA ME0(1)) post zfer, E10	Stashed	Acc to RR Eff	Acc to MI Eff	Acc to M12 Eff	Transfers	Set s	Column 5 Number _4_Acc Horizontal Emittance	Column 6 Number _5_Acc Vertical Emittance	Column 8 Number _7_Acc Longitudinal Emittance
	Totals =>				266.69			256.71	96.26%	97.52%	97.53%	30	13	5.4067	5.0593	1.8745
												4				
13132	Monday, May 11, 2009	20:36	26.44	9.42	18.30	339.01	356.55	17.65	96.44%	98.91%	99.52%	2	1	5.35	5.012	1.876
13131	Monday, May 11, 2009	19:56	25.61	8.85	18.05	322.73	339.95	17.34	96.07%	98.31%	98.47%	2	1	4.856	5.015	1.882
13130	Monday, May 11, 2009	19:14	26.59	9.66	18.21	305.98	323.50	17.59	96.59%	97.69%	98.48%	2	1	5.332	4.907	1.916
13129	Monday, May 11, 2009	18:31	26.49	9.27	18.44	288.85	306.60	17.77	96.33%	98.07%	98.08%	2	1	5.151	4.646	1.859
13128	Monday, May 11, 2009	17:41	26.98	9.48	18.83	271.32	289.43	18.23	96.79%	97.06%	96.85%	2	1	5.174	4.72	1.892
13127	Monday, May 11, 2009	16:48	28.31	7.90	21.21	251.14	271.77	20.72	97.70%	97.44%	97.82%	2	1	3.71	3.836	1.797
13126	Monday, May 11, 2009	11:54	26.85	9.13	19.01	233.05	251.51	18.50	97.29%	98.10%	98.19%	2	1	4.422	4.572	1.872
13125	Monday, May 11, 2009	10:26	44.49	15.87	29.87	206.63	234.94	28.38	95.03%	96.62%	97.13%	2	1	6.616	5.816	1.872
13124	Monday, May 11, 2009	9:41	29.47	9.85	20.90	187.35	207.27	19.96	95.50%	96.96%	97.45%	2	1	5.669	5.336	1.882
13123	Monday, May 11, 2009	8:31	34.20	11.64	23.86	164.79	187.62	22.84	95.73%	97.50%	97.40%	2	1	6.2	5.753	1.872
13122	Monday, May 11, 2009	7:34	31.80	10.35	22.46	143.61	165.20	21.62	96.27%	97.88%	96.24%	2	1	5.722	5.356	1.843
13121	Monday, May 11, 2009	6:45	27.67	9.86	19.12	125.50	143.87	18.38	96.09%	97.44%	97.77%	2	1	6.318	5.359	1.898
13120	Monday, May 11, 2009	5:59	26.92	9.84	18.42	108.10	125.80	17.74	96.32%	96.32%	95.11%	2	1	5.767	5.443	1.907

Studies


Requests


The Numbers

- Paul's numbers
- Al's numbers
 - Stacking
 - Pbars stacked: 281.01 E10
 - Time stacking: 12.96 Hr
 - Average stacking rate: 21.69 E10/Hr
 - Uptime
 - Number of pulses while in stacking mode: 17910
 - Number of pulses with beam: 16441
 - Fraction of up pulses was: 91.80%

- The uptime's effect on the stacking numbers
 - Corrected time stacking: 11.89 Hr
 - Possible average stacking rate: 23.63 E10/Hr
 - Could have stacked: 306.11 E10/Hr
- Recycler Transfers
 - Pbars sent to the Recycler: 291.82 E10
 - Number of transfers : 28
 - Number of transfer sets: 13
 - Average Number of transfer per set: 2.15
 - Time taken to shoot including reverse proton tuneup: 00.18 Hr
 - Transfer efficiency: 97.23%
- Other Info
 - Average POT : 8.12 E12
 - Average production: 21.04 pbars/E6 protons
- * Red indicates a problem during data retrieval. See the message window for details.
- * Missed one or more A:IBEAM7 events somewhere in the middle of the user selected time span. Calculated time shot using 13 secs per transfer.
-

Misc





Pbar & Recycler Shift Plot (24.0 hrs.)

